



中国汽车健康指数
CHINA AUTOMOTIVE HEALTH INDEX

2024年第一批次测评结果发布

Release of China Automotive Health Index Rating Results((Batch 1 in 2024)

中国·重庆

Chongqing · China

2024.09

长城汽车股份有限公司
坦克 500



Hi4-T 插电式混合动力越野乘用车

Sample Vehicle Information

样车信息

样车型号
Sample Model

CC2030BN24APHEV

生产日期
Date of Production

2024年04月

是否配置空气净化装置
With Air Purification Device or Not

是 (YES)

是否配置颗粒物监测装置
With Particulate Matter Monitoring Device
or Not

否 (no)

是否带有车载通信终端 (T-BOX)
With on-Board Communication Terminal (T-BOX) or Not

是 (YES)

是否自带拨打电话功能
With Self-Contained Call Function or Not

是 (YES)

是否带有座椅加热功能
With Seat Heating Function or Not

是 (YES)

是否带有座椅通风功能
With Seat Ventilation Function or Not

是 (YES)

测试项目

Test Item

清新空气



健康防护



绿色出行



长城汽车股份有限公司
坦克 500



Hi4-T 插电式混合动力越野乘用车

1
2
3



92.9

清新空气分指数
Clean Air Index

清新空气



94.5

健康防护分指数
Health Protection Index

健康防护



91.8

绿色出行分指数
Energy Efficiency and Emission Subindex

绿色出行



清新空气分指数

Clean Air Index

坦克 500

Hi4-T 插电式混合动力越野乘用车

92.9分



90.9

车内挥发性有机物(VOC)

Volatile Organic Compound

车内气味强度(VOI)

Vehicle Odor Intensity



健康危害指标 Health Hazard Index

27.5/30.0



综合污染指标 Comprehensive Pollution Index

30.0/30.0



气味强度指标 Odor Intensity Index

25.0/30.0



TVOC指标 TVOC in the Cabin Index

8.4/10.0

96.0

车内颗粒物(PM)

Particulate Matter



整体颗粒物阻碍 (Z)

Vehicle PM Barrier (Z)

20.0/20.0



车内颗粒物净化能力 (E)

Interior PM Purification Capability (E)

76.0/80.0

健康防护分指数

Health Protection Index

坦克 500

Hi4-T 插电式混合动力越野乘用车

94.5分



88.5

车内致敏物风险(VAR)

Vehicle Allergic Risk



皮肤接触致敏指标 Skin Contact Allergic Indicators

64.3/67.5



呼吸道致敏指标 Respiratory Allergic Indicators

24.2/32.5

97.0

车内抗菌防霉性能(VAA)

Vehicle Anti-bacteria and Antifungal



车内抗菌性能 Anti-bacterial

50.0/50.0



车内防霉性能 Mold-preventing

47.0/50.0

100.0

车辆电磁辐射(EMR)

Vehicle Electromagnetic Radiation



匀速磁场辐射指标

Radiation Index in Uniform Magnetic Field

65.0/65.0



急加速磁场辐射指标

Radiation Index in Rapid Acceleration Magnetic Field

10.0/10.0



急减速磁场辐射指标

Radiation Index in Rapid Deceleration Magnetic Field

5.0/5.0



通信电场辐射指标

Communication Electric Field

20.0/20.0



充电磁场辐射指标 (扣分制)

Radiation Index in Charging conditions

5.0/5.0

绿色出行分指数

Energy Efficiency and Emission Subindex

坦克 500

Hi4-T 插电式混合动力越野乘用车

91.8分



41.8

低碳节能 (LCES)


Low-carbon and Energy-saving



50.0

续航保持 (EM)

Endurance maintenance




23°C

燃料消耗量 (CS) 指标

Fule consumption (CS)

10.3/15.0



23°C

电量消耗量 (CD) 指标

Energy Consumption (CD)

7.8/10.0




35°C

高温空调油耗增加率 (CS) 指标

Fuel Consumption Increase Rate at High Temperature

23.7/25.0




-7°C

低温等效全电里程衰减指标

EAER Decay Rate at Low Temperature

30.0/30.0



35°C

高温等效全电里程衰减指标

EAER Decay Rate at High Temperature

20.0/20.0



中国汽车健康指数
CHINA AUTOMOTIVE HEALTH INDEX

绿色低碳 健康同行

Companion with Health in a Green&Low-Carbon Path

www.autoindex.org.cn